MADE WITH SOUL





 $\mathsf{M} \mathsf{A} \mathsf{Z} \mathsf{D} \mathsf{A} \mathsf{.} \mathsf{C} \mathsf{O} \mathsf{.} \mathsf{Z} \mathsf{A}$







INTRODUCING THE NEW MAZDA CX-60

Mazda South Africa is proud to introduce the allnew Mazda CX-60, a powerful expansion on our SUV range. It perfectly showcases our passion for combining human-centric technology with the finest Japanese craftsmanship.



READY TO DRIVE A CAR THAT INTUITIVELY FLOWS WITH YOUR EVERY MOVE

We're proud to introduce the all-new Mazda CX-60, which represents everything that Mazda has built into its DNA over the last 100 years, from outstanding exterior and interior design, the finest Japanese craftsmanship, to the latest innovations in human-centric technologies, and world-leading powertrains.

INSPIRED BY THE ULTIMATE FORM

KODO 'Soul of Motion' design: Mazda design is obsessed with the ultimate form of beauty - the artistic forms that can only be shaped by the power and precision of human hands.

JINBA ITTAI: Human Centric approach: when driving a Mazda it must feel like a natural extension of your being.

Japanese Craftsmanship: Passionate about detail, OF BEAUTY AND DESIGN PRINCIPLES we take pride in our experience that is proven and uniquely Mazda.

> Engineering a feeling: We ensure the harmonious interaction of all parts to give our vehicles a natural drive.





The all-new CX-60 showcases why this brand is 'Made with Soul'.

Mazda's famous sleek design language gives the CX-60 an edgy and stylish road presence, while the interior layout is created with the driver in mind.

Instead of forcing humans to adapt to cars, we design cars adapted to humans. We call this human-centric engineering.

The result is a car that responds precisely, almost intuitively, giving you the confidence of being in control and the exhilaration of effortless driving.

The CX-60 is the apex of Mazda's many years of experience and offers the perfect balance between beauty, performance, and functionality. In 2020 Mazda Motor Corporation celebrated its 100th anniversary and with the new CX-60 it's easy to see why the brand appeals to so many customers around the world.

2.5 L INDIVIDUAL AUTO AWD

2.5 Litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-stop



2.5 L INDIVIDUAL AUTO FEATURES

- 12-Inch Center Display Screen
- 12 Speakers
- 360° View Monitor + See-through-view
- Adaptive LED Headlamps (ALH)
- Blind Spot Monitoring (BSM)
- BOSE® Sound system
- Daytime Running Lamps (DRL)
- Distance & Speed Alert (DAS): Display Only
- Drive Selection: Off-Road
- Drive Selection: Towing Mode
- Driver Monitor (DM)
- Forward Sensing Camera (FSC)
- Front Combination Signature Illumi

- Front Direction Base Safety
- a. Lane Keep Assist System (LAS)
- b. Lane Departure Warning System (LDWS)
- c. Advanced Smart City Brake Assist (SCBS)
- Front Radar
- Front Side radar
- Grille: Piano Black Bar Type
- Integrated Navigation
- Intersection Brake Support: Front Cross Traffic Alert (FCTA)
- Hands Free Liftgate
- Hill Decent Control (HDC)
- Mazda Radar Cruise Control (MRCC)

- Mode
- Passive Collision Signal: Hazard & Brake
- Personalise System: Entry + Guide
- Rear Combination Signature Illumi
- Rear Cross Traffic Alert (RCTA)
- Rear Direction Base Safety
- Rear Side Radar
- Smart Brake Support (SBS)

2.5 L INDIVIDUAL AUTO AWD FEATURES



PERSONALISE SYSTEM: ENTRY + GUIDE (D&P)

This system will automatically adjust the driver's seat, steering wheel, HUD position and exterior mirrors based on body height and eye position. You no longer need to do this yourself; this is made possible by making use of a facial recognition camera.

That camera is also used to recognize the driver when entering the car again, the vehicle then knows how to make the right adjustments for that particular driver.

Easy entry and exit by moving the seat backward and the steering wheel forward when entering or exiting the vehicle. Together with the personalisation settings, ADAS settings that the driver has made in Mazda connect are stored when the power switch is switched OFF.



MI (MAZDA INTELLIGENT) - DRIVE

Different driving circumstances demand for different vehicle reactions. Earlier the sports mode was introduced to change the vehicles reaction to the accelerator pedal by reducing the pedal stroke to achieve full throttle and postpone gear changes to allow higher rpm's. No matter what the conditions are the CX-60 will have optimal grip, performance, road stability offering the highest level of safety.


Mi-Drive still controls gear change and pedal reaction but in addition it also controls the i-ACTIV AWD system and the Dynamic Stability Control. It leads to a vehicle that not only provides proper reaction during sporty driving but also during off road driving.



360° VIEW MONITOR + SEE-THROUGH-VIEW

Mazda's 360 View Monitor uses a four camera system that covers all sides of the vehicle to display a bird's-eye view of the car from above on the center display, as well as a choice of front, rear and left or right side views. The Mazda CX-60 adds See-Through View as a further evolution of the 360° View Monitor functionality.

It displays an image on the screen that seemingly allows the driver to see through the front and rear corners of the car from their viewpoint, making it easier to spot objects obscured by the vehicle's bodywork. This helps the driver remain fully aware of surrounding conditions when driving slowly in tight spaces such as parking lots and narrow alleys.



PANORAMIC ROOF

The 950 mm (W) x 1,021 mm (L) panoramic roof and its peripheral partswere meticulously designed to allocate as much surface area to occupants, a more enjoyable, fun the window as possible to increase drive. the field of view and light range for passengers in the rear seats.

The outstanding visibility and brightness of the panoramic roof offers not only the driver, but all

2.5 L INDIVIDUAL AUTO AWD FEATURES



MAZDA RADAR CRUISE CONTROL (MRCC)

Mazda Radar Cruise Control (MRCC) uses a millimeter wave radar to judge the relative speed and distance to the car ahead and automatically controls vehicle speed.

The Speed Limit Assist system now allows the driver to set the MRCC vehicle speed to the speed sign value recognized by the forward sensing camera and map* information to the MRCC.



BAR TYPE GRILLE

The CX-60 features a front grille with an adjusted aspect ratio that shows off the height of the grille more than other Mazdas. This acts to balance the look of the grille with the confident overall face expression. We also built illumination functionality into the signature wing to accentuate the powerful look of the grille even more. Unlike previous models, the CX-60 headlamp arrangement features vertically stacked lamps to

create a new, rich expression that conveys the strength of an SUV. The lighting signature is L-shaped to enhance its symbolism, and its presence still expresses the eyes that looks straight ahead. The expression of the eyes looking backwards are L-shaped to enhance its symbolism just like the headlights and the widely spread consecutive horizontal lighting signature expresses that its class above vehicle.



12" TFT METER DISPLAY

The second part of the Human machine interface (HMI), is the increased size of the instrument cluster TFT screen from 7" to a full LCD 12.3" display. As well as being compatible with Driving Assist Mode and safety warning display, the full LCD instrument cluster also works with our Driver Personalisation System, which optimizes display visibility for individual drivers.

In addition, the instrument cluster is programmed with a dramatic opening effect and dramatic effects for each of the Mazda Intelligent Drive Select (Mi-Drive) modes - sports, normal, towing and off road.

This contributes to enhanced visibility and a driving environment that is safer and more stress-free, as well as helping drivers immerse themselves more in the drive by making the experience more enjoyable and exciting.




HANDS-FREE LIFTGATE

To open your liftgate, move your leg back and forth under the center of the rear number below your license plate. Then step back to give the gate space to open.

Alternatively, you can use the button (which is used for the Power Liftgate feature- Dynamic grade) if you are unable/ it is inconvenient at that point to wave your foot.

2.5 L INDIVIDUAL AUTO AWD FEATURES



BOSE AND MAZDA'S SUPREME SOUND SYSTEM

Bose sound system is packed with high- performance speakers and cutting-edge technology, intended to lift you straight out of had never been done before. the car and into a live concert.

You can enjoy listening to music that sounds exactly as it was intended by its creators.

Why you may ask, well we moved the woofers from the front doors to the sides of the front cowl, which



MAZDA CONNECT WITH ANDROID AUTO AND WIRELESS APPLE CARPLAY

The Mazda CX-60 features the latest version of Mazda Connect, which includes enhancements such as a quicker start up, improved image and sound quality, and a free word search function that lets users search for destinations by entering a combination of keywords.

The system supports Android AutoTM and wireless Apple CarPlay[®], to ensure a convenient user experience with smart phone integration.

2.5L DYNAMIC AUTO 2WD

2.5 Litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-stop

2.5L DYNAMIC AUTO FEATURES

- 8 Speakers
- 10-Inch Center Display Screen
- Grille: Black Honey Comb
- Passive Collision Signal: Hazard
- Power liftgate
- Reverse Camera



2.5L DYNAMIC AUTO 2WD FEATURES



8-SPEED AUTOMATIC TRANSMISSION

In search of smooth transition between gears the full automatic transmission has always been in favour. Thanks to the abscence of a torque converter the automatic gearbox of the CX-60 gives the driver the feeling of having a manual transmission but with the comfort of an automatic transmission.



LARGER HEADS-UP DISPLAY (HUD)

As part of the Human machine interface (HMI), The Mazda CX-60 is equipped with a 10° x 3° heads up display (HUD)—approximately three times larger than that of our 7G small vehicles.

The HUD offers drivers more peace of mind while on the road by reducing unnecessary changes to the driver's line of sight.



PASSENGER SPACE

The CX-60 cabin has ample width, securing 1,504 mm of shoulder room in the front seats (44 mm more than the CX-5) and 1,441 mm in the rear seats (50 mm more than the CX-5).



SEATING

The seat back of the CX-60 seat supports more in the lower half of the driver, which enables a driver feel the vehicle's movement better, comparing to the other models whose seat back supports whole back of a driver rather evenly.

Results in:

Less fatigue due to a natural seating position

- Improved safety because pedals can be found intuitively
- More convenient steering wheel adjustment thanks to electric motors
- Electric steering wheel adjustment allows for the steering wheel to be part of easy entry system
- Human Centric development results in receiving vehicle feedback in the most natural way

2.5L DYNAMIC AUTO 2WD FEATURES



20" ALLOY WHEELS

Unlike other competitors, 20-inch wheels are coming standard on both derivatives at no additional cost or later fitment.



SAFETY

The CX-60 features even more advanced safety technologies that not only protect the driver and their passengers, but also protect others using the road by minimizing the risk of all kinds of accidents.



MAZDA CONNECT WITH ANDROID AUTO AND WIRELESS APPLE CARPLAY

The Mazda CX-60 features the latest version of Mazda Connect, which includes enhancements such as a quicker start up, improved image and sound quality, and a free word search function that lets users search for destinations by entering a combination of keywords.

The system supports Android AutoTM and wireless Apple CarPlay®, to ensure a convenient user experience with smart phone integration.

SPECIFICATIONS

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
POWERTRAIN							
Engine type	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-Stop	2.5 litre in-line 4 cylinder 16 valve DOHC S-VT (SKYACTIV-G) petrol with i-Stop					
Bore and stroke (mm)	89.0 x 100.0	89.0 x 100.0					
Compression ratio	13.0:1	13.0:1					
Engine capacity (cc)	2488 сс	2488 cc					
Power (kW @ rpm)	141 @ 6,000	141 @ 6,000					
Torque (Nm @ rpm)	261 @ 3,000	261 @ 3,000					
Acceleration 0-100km/h	9,6	9,9					
CO ₂ emission (g/km)	170	180					
Emissions standard	Euro stage IV	Euro stage IV					
Fuel consumption - combined (L/100km)	7.3	7.7					
Fuel tank capacity (L)	58	58					
Top Speed (w/limiter) (km/h)	203	201					
TRANSMISSION							
Туре	8-Speed Auto	8-Speed Auto					
Gear ratio 1st	4,912	4,912					
Gear ratio 2 nd	3,200	3,200					
Gear ratio 3 rd	2,168	2,168					
Gear ratio 4 th	1,729	1,729					
Gear ratio 5 th	1,290	1,290					
Gear ratio 6 th	1,000	1,000					
Gear ratio 7 th	0,843	0,843					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
Gear ratio 8 th	0,651	0,651					
Reverse	4,163	4,163					
Final drive	4,181	4,181					
Drive Selection: Sports	•	•					
Drive Selection: Towing (Mi Driver)	-	•					
Drive Selection: Off-Road (Mi Driver)	-	•					
CHASSIS							
Suspension type - Front	Double wishbone	Double wishbone					
Suspension type - Rear	Multi-link	Multi-link					
Brake type - Front	Ventilated disc	Ventilated disc					
Brake type - Rear	Ventilated disc	Ventilated disc					
Diameter Front (mm)	328	328					
Diameter Rear (mm)	328	328					
Electronic Power Assist Steering	•	•					
Turning circle wall-to-wall (diameter)	11,7	11,7					
Departure Angle (degree)	20	20					
Approach Angle (degree)	18,6	18,5					
WEIGHTS AND CAPACITIES	S						
Gross Vehicle Weight (kg)	2 294	2 342					
Towing mass (kg) braked	1 500	1 500					
Towing mass (kg) unbraked	750	750					
Luggage volume (L) (all seats up to tonneau cover)	477	477					
Ground Clearance (mm) Unladen	179,2	179,2					
Roof Carrier (max roof load capacity) kg	75	75					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
EXTERIOR DIMENSIONS (MM)						
Length w/ license plate holder	4 745	4 745					
Width mirror to mirror (opened)	2 134	2 134					
Height (w/ shark fin antenna)	1 688	1 688					
Wheelbase	2 870	2 870					
Front tread	1 640	1 640					
Rear tread	1 645	1 645					
Front overhang (w/ license plate holder)	855	855					
Rear overhang	1 020	1 020					
INTERIOR DIMENSIONS (M	MM)						
Cargo room (height from floor to roof)	800	800					
Cargo room (height from floor to tonneau cover)	498,5	498,5					
Threshold (height from ground)	740	740					
Leg room (front)	1 058	1 058					
Leg room (rear)	990	990					
EXTERIOR							
LED Headlamps	•	•					
Adaptive Headlamps	-	•					
Headlamps: Auto on/off	•	•					
Auto Headlamps Levelling	•	•					
Daytime Running Lamps (DRL)	-	•					
Front Combination Lamps (FCL)	-	•					
Rear Combination Lamps (RCL)	-	•					
Front foot lamp (D&P): LED	•	•					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD				
Smart Keyless Entry	•	•				
Outer Mirrors						
-Turn lamp located in side mirror	•	•				
-Heated	•	•				
-Power fold	•	•				
-Auto fold	•	•				
-Auto dimming	-	-				
-Body colour	•	•				
-Adj. memory	•	•				
Sunroof (electric)	Panoramic	Panoramic				
Privacy glass: Green UV Cut	•	•				
High mounted stop lamp: LED	•	•				
License Lamp	•	•				
Rear spoiler (body colour)	•	•				
Front rain-sensing wipers with intermittent function	•	•				
Rear wiper & washer with intermittent function	•	•				
Radiator Grille	Honey-Comb	Bar Type				
Front Bumper Lower	Black	Black				
One touch turn signal	•	•				
Turn Signal Switch: Left side	•	•				
Liftgate	Power	Hands Free				
Side garnish: Black	•	•				
Wheel arch moulding: Black	•	•				
B-pillar & C-pillar: Black	•	•				
Sidesill Stone Guard	•	•				

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
INTERIOR							
Seating Capacity	5	5					
Head-Up Display (HUD): Windshield display	•	•					
Leather-wrapped steering wheel (Piano Black)	•	•					
Paddle transmission switches	•	•					
Multi-function steering wheel with audio controls	•	•					
Tilt and telescopic adjustable steering wheel	Electric	Electric					
Cruise Control	•	•					
Mazda Radar Cruise Control (MRCC)	-	•					
Sunvisor w. vanity mirror & illumination	•	w. ticket holder					
Coat Hook: Rear x2	•	•					
Assist grips x4	F&R	F&R					
Glove Box: LED	•	•					
Glove Box Flock Lining	•	•					
Coin Box	•	•					
Front down light	•	•					
Rear Room Lamp: w. spot lamp	•	•					
Center Panel Dashboard	Leather-like	Leather-like					
Inner door side panel trim	Vinyl Leather	Vinyl Leather					
Leather-wrapped shift knob	•	•					
Air-conditioning: Dual-zone climate control	•	•					
Rear Vent Cooler	•	•					
Push start ignition	•	•					
Trip Computer	•	•					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
Analog tachometer and odometer	•	•					
Meter Display	12-inch	12-inch					
Power windows (Front & Rear)	•	•					
Window one touch system (Front & Rear: Up & Down)	•	•					
Frameless Auto-dimming rear view mirror	•	•					
Personalisation system (w. easy entry & guide driving position)	-	•					
Seat trim	Black Leather	Black Leather					
Front seat adjustment							
- Tilt	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)					
- Lift	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)					
- Slide	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)					
- Recline	Power (D&P) w. memory (D)	Power (D&P) w. memory (D)					
Front seat ventilation	-	-					
Height adjustable seat (Driver)	•	•					
Power lumbar support	Driver	Driver					
Electronic Parking Brake (EPB)	•	•					
Console Knee Pads	Leather-like	Leather-like					
Front centre console: x2 cupholders	•	•					
Rear centre console: x2 cupholders	•	•					
Rear seat armrest: x2 USB ports	•	•					
Power Outlet Socket w.cover	•	•					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
INFOTAINMENT							
MZD Connect System	•	•					
Audio Display Screen: TFT	10-inch	12-inch					
Commander Dial	•	•					
Android Auto™ & Wireless Apple CarPlay®	•	•					
Wireless Charging	•	•					
USB connectivity: C-type	•	•					
Bluetooth® hands free system	•	•					
Speaker quantity	8	12					
BOSE® Sound system	-	•					
Integrated Navigation	0	•					
SAFETY AND SECURITY							
Airbags SRS: Driver, Passenger, Side, Curtain & Knee (D only)	7	7					
Anti-locking Braking System (ABS)	•	•					
Electronic Brake-Force Distribution (EBD)	•	•					
Emergency Brake Assist (EBA)	•	•					
Auto shift lock	•	•					
Dynamic Stability Control (DSC)	•	•					
Auto hold	•	•					
Hill Hold Assist (HHA)	•	•					
Burglar Alarm System	•	•					
Engine immobiliser	•	•					
Door ajar warning lamp (F&R)	•	•					
Central locking (driver)	•	•					
Door lock one touch release	D&P	D&P					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD					
Occupant Monitor System	-	•					
Seat-belt ELR (Emergency Locking Retractor) Pretensioner (D&P)	•	•					
Seat-belt warning (Front & Rear)	•	•					
Seat-belt 3-point lap-sash (all seats)	•	•					
Child restraint anchor points (ISOFIX) x2	•	•					
Blind Spot Monitoring (BSM) w/ RCTA	-	•					
Rear Cross Traffic Alert (RCTA)	-	•					
Lane-keep Assist System (LAS)	-	•					
Forward Sensing Camera	-	•					
Driver Attention Alert (DAA)	-	•					
Front side radar	-	•					
Rear side radar	-	•					
Front sonar (center & corner)	•	•					
Rear sonar (center & corner)	•	•					
Driver Monitor	-	•					
Distance & speed alert (DAS): Display Only	-	•					
Smart City Brake Support (SCBS): Front & Rear	-	•					
Parking Sensors	F&R	F&R					
Reverse Camera	•	-					
RDBS w/ Smart Brake Support (SBS)-RC	-	•					
360 ⁰ View Monitor	-	•					

MAZDA CX-60	2.5L Dynamic Auto 2WD	2.5L Individual Auto AWD				
SAFETY AND SECURITY See-through View Intersection Brake Support: Front Cross Traffic Alert (FCTA) Emergency Stop Signal (ESS) Passive Collision Signal Post crash fuel cut-off system Front Direction Base Safety Jack-Pantograph Lever-Jack Wrench-Hub Nut Screwdriver & Spanner WHEELS AND TYRES Alloy Wheels Silver Metallic Tyre size 235/50 R20 235/50 R20 Wheel size 20X7-1/2J Tyre size (Spare) MAZDA						
See-through View	-	•				
Front Cross Traffic Alert	-	•				
Emergency Stop Signal (ESS)	•	•				
Passive Collision Signal	Hazard	Hazard and Brake				
Post crash fuel cut-off system	•	•				
Front Direction Base Safety	-	•				
Jack-Pantograph	•	•				
Lever-Jack	•	•				
Wrench-Hub Nut	•	•				
Screwdriver & Spanner	•	•				
WHEELS AND TYRES						
Alloy Wheels	Silver Metallic	Silver Metallic				
Tyre size	235/50 R20	235/50 R20				
Wheel size	20X7-1/2J	20X7-1/2J				
Tyre size (Spare)	T155/90D18	T155/90D18				
MAZDA						
Service Plan	5 Years/Unlimited km	5 Years/Unlimited km				
Service Intervals	15 000km	15 000km				
Warranty	5 Years/Unlimited km	5 Years/Unlimited km				
Roadside Assistance	3 Years/Unlimited km	3 Years/Unlimited km				

= Standard = Optional = Not Available

Disclaimer: Information and specs are based on the latest product information available at time of publication and might not meet RSA spec. Mazda Southern Africa (Pty) Ltd reserves the right to make changes without notice in product content and price at any time. For the latest details, always contact your Mazda dealer. Copyright subsists in this material and permission to duplicate any part thereof should be sought from Mazda Southern Africa. Compilation date: February 2023. Terms and conditions apply.

COLOUR RANGE



SOUL RED CRYSTAL



MACHINE GREY



DEEP CRYSTAL BLUE



RHODIUM WHITE METALLIC



ARCTIC WHITE



PLATINUM QUARTZ



SONIC SILVER



JET BLACK

5-YEAR MAZDA UNLIMITED KILOMETRE WARRANTY

Every Mazda is designed and built to the highest standards of performance and reliability. For reassurance, our Mazda vehicles are backed up by a 5-year Unlimited Kilometre Factory Warranty.

5-YEAR MAZDA UNLIMITED KILOMETRE SERVICE PLAN

Mazda has designed a service plan to suit your needs. It covers scheduled services for 5-years, regardless of your mileage. The service plan operates alongside the Mazda Unlimited Kilometre Warranty.

3-YEAR MAZDA ROADSIDE ASSISTANCE

Mazda cares about your peace of mind. That's why we offer a 3-year Unlimited Roadside Assistance Plan. It includes toll-free calls and services such as emergency medical help and free towing rescue due to minor or major mishaps.

MAZDA MAINTENANCE CHECK SHEET

Petrol Vehicle Check Sheet

	SERVICE INTERVAL IN 15 000 KM																	
DISTANCE AND TIME MAINTENANCE INTERVALS	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216
	15	30	45	60	75	90	105	120	135	150	165	180	195	210	225	240	255	270
GASOLINE ENGINES																		
Fuel filter				R				R				R				R		
Spark plugs								R								R		
Deposit cleaner (SKYACTIV engines only)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Evaporative system (if installed)	- 1	- 1	1	I	I	I	- 1	- 1	I	ı	I	- 1	- 1	1	I	I	I	- 1
GASOLINE ENGINES																		
Drive belts*(2)	1	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Engine oil*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Engine oil filters*(3)	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Cooling system	- 1	- 1	1	I	I	I	I	I	I	ı	I	- 1	- 1	1	I	I	- 1	- 1
Engine coolant*(4)	Replace at first 200 000 km or 10 years and every 100 000 km or 5 years after									after th	ne initia	l replac	ement.					
Air filter*(5)	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R	С	R
Cabin air filter. pollen filter, cooling unit filter*(5)	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R
Fuel lines and hoses	I	ı	I	I	I	I	ı	ı	I	ı	I	I	I	ı	I	I	ı	I
Battery electrolyte level and specific gravity*(6)	I	ı	I	I	I	I	ı	I	I	ı	I	I	I	ı	I	I	I	I
Brake lines, pipes, hoses and connections	I	I	I	I	I	I	I	I	I	ı	I	I	I	I	I	I	I	I
Brake fluid*(7)	I	I	I	I	I	R	I	I	I	ı	I	R	I	I	I	I	I	R
Parking brake	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Power brake unit	- 1	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Disc brakes	1	ı	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
Steering operation and linkages	- 1	I	- 1	I	I	I	I	I	I	I	I	- 1	I	I	I	I	I	I
Manual transmission/gearbox oil	1	- 1	- 1	R	I	- 1	I	R	- 1	- 1	- 1	R	- 1	- 1	- 1	R	I	- 1
Differential oil*(8)*(9)	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	R	I	I
Automatic transmission/gearbox oil	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	R	I	- 1
Front and rear suspension, ball joints, stabilizers,	I	ı	I	I	I	I	I	ı	I	ı	I	I	I	ı	I	I	ı	I
alignment																		
Drive shafts, propeller shafts, dust boots, CV joints	1	- 1	I	- 1	I	I	- 1	- 1	- 1	1	- 1	- 1	- 1	1	I	I	- 1	- 1
Exhaust system and heat shields	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
All body and chassis bolts and nuts	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T
Body condition, corrosion, perforation, general	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I
condition																		
Tires, including the spare wheel	I	I	I	I	I	I	I	I	I	I	I	I	- 1	I	I	I	1	1
Tire rotation and wheel alignment*(10)								Every	15 000	km of	1 year							

SERVICE INSPECTION SYMBOLS

- I Inspect R - Replace
- C Clean S - Set
- T Tighten

- *(1) Implement fuel injection amount correction.
- *(2) Also inspect all auxiliary belts, if installed. If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area. b) Extended periods of idling continuous low-speed operation.
 - c) Short distance driving.

 - d) Operating the vehicle in extreme cold or hot conditions for long periods.
 - e) Driving the vehicle in mountainous conditions for long periods.

- *(3) If the vehicle is operated primarily under the following conditions, inspect the drive belts and auxiliary belts more often than recommended (Servicing Dealer to advise customer accordingly).
 - a) Driving in dusty conditions or in a mining area. b) Extended periods of idling or continuous low-speed operation.
 - c) Short distance driving.
 - d) Operating the vehicle in extreme cold or hot conditions for long periods.
 - e) Driving the vehicle in mountainous conditions for long periods.
- *(4) Use only manufacturer-specified coolant.
- *(5) If the vehicle is operated in dusty or sandy areas, the filters must be inspected, cleaned or replaced more regularly (Servicing Dealer to advise customer accordingly).
- *(6) If operating the vehicle in extreme cold or heat, inspect electrolyte and specific gravity more regularly (Servicing Dealer to advise customer accordingly).

- *(7) Replace the brake fluid more regularly if the vehicle is continuously loaded, driven in mountainous conditions, exposed to hard driving conditions or operated in humid conditions.
- *(8) If the vehicle is subjected to the following conditions, the differential oil need to be replaced at 60 000 km.
- b) Driving in dusty conditions or in a mining area.
- c) Short distance driving.
- d) Operating the vehicle loaded continuously.
- e) Driving the vehicle in mountainous conditions for long periods.
- *(9) Replace if the component or vehicle was submerged.
- *(10) Perform wheel alignment more regularly if the vehicle is used on rougher road surfaces, driven off-road or on dirt roads (Servicing Dealer to advise customer accordingly).

MAZDA CX-60 2.5L SERVICE AND PRICING GUIDE

Take the guesswork out of service pricing. Use the service schedule guide below to view current service details and costs.

YOUR SERVICE SUMMARY

MAZDA CX	MAZDA CX-60 2.5 INDIVIDUAL AWD AUTOMATIC																
Service Interval	1500	30000	45000	60000	75000	90000	105000	120000	135000	150000	165000	180000	195000	210000	225000	240000	255000
Service Cost*	R 2,328.08	R 4,479.62	R 2,328.08	R 4,686.62	R 2,328.08	R 4,665.92	R 2,328.08	R16,909.46	R 2,328.08	R 4,479.62	R 2,328.08	R 4,872.92	R 4,335.41	R 4,479.62	R 2,328.08	R16 909,46	R 2,328.08
Parts	R486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R11,097.83	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 2,232.42	R 1,637.82	R 486.92	R11,097.83	R 486.92
Labour	R900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 2 250,00	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 2,250.00	R 900.00
Consumables	R637.50	R 637.50	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 1,356.05	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 637.50	R 637.50	R 1,356.05	R 637.50

MAZDA CX	MAZDA CX-60 2.5 DYNAMIC 2WD AUTOMATIC																
Service Interval	1500	30000	45000	60000	75000	90000	105000	120000	135000	150000	165000	180000	195000	210000	225000	240000	255000
Service Cost*	R 2,328.08	R 4,479.62	R 2,328.08	R 4,686.62	R 2,328.08	R 4,665.92	R 2,328.08	R 16 004,93	R 2,328.08	R 4,479.62	R 2,328.08	R 4,872.92	R 4,335.41	R 4,479.62	R 2,328.08	R 16 004,93	R 2,328.08
Parts	R486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 486.92	R11,097.83	R 486.92	R 1,637.82	R 486.92	R 1,637.82	R 2,232.42	R 1,637.82	R 486.92	R 11 097,83	R 486.92
Labour	R900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 1 980,00	R 900.00	R 1,620.00	R 900.00	R 1,800.00	R 900.00	R 1,620.00	R 900.00	R 1 980,00	R 900.00
Consumables	R637.50	R 637.50	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 1,356.05	R 637.50	R 637.50	R 637.50	R 799.50	R 637.50	R 637.50	R 637.50	R 839,50	R 637.50

^{*}VAT inclusive

The total service price is the base scheduled maintenance, plus any additional scheduled maintenance items that are required. Base scheduled maintenance is due every 15,000 km but no longer than 12 months, whichever comes first.

1. Prices are subject to change without prior notice.
2. The suggested price in no way dictates what is charged at each individual Mazda Dealer and should, therefore, be treated as a guideline only. Consumables include the below; however, not all consumables are included on every service.

LUBRICANTS & CONSUMABLES			
1. Engine Oil	2. Manual Gearbox/Transmission Oil	3. Rear Differential Oil	4. Front Differential Oil
5. Mazda Deposit Cleaner	6. Automatic Gearbox/Transmission Oil	7. Brake Fluid	8. Anti-freeze

