## 



## **SPECIFICATIONS**



## SINGLE CAB STANDARD AND OPTIONAL EQUIPMENT

- Standard
- Not available
- Optional



Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
General			
Transmission Type		5 speed	5 speed
Max. Output:		81kW@4000rpm	81kW@4000rpm
Max. Torque:		200Nm@1000-3750rpm	200Nm@1000-3750rpm
Engine Type:		DOHC Intercooled Turbo	DOHC Intercooled Turbo
Ground Clearance:		200mm	221mm
Fuel System:		Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:		75L	75L
Drivetrain and Chassis			
2WD			-
Easy Select 4WD		-	
Super select 4WD-II		-	-
Rear differential lock (v	vithout limited slip differential)	-	-
Front suspension (Doub	le wishbone with coil spring)		
Rear suspension (Noma	l type)	-	-
Rear suspension (Ellipti	c leaf spring)		
Rear suspension (Heavy	duty type)		
Front ventilated disk br	rake, 2-pot (diameter: 275mm)		-
Front ventilated disk br	rake, 2-pot (diameter: 290mm)	-	
Front ventilated disk br	rake, 2-pot (diameter: 320mm)	-	-
Rear drum brake (10-ind	ch)		-
Rear drum brake (11,6-i	inch)	-	
Tyre and Wheel	195R15C 8PR 106/104R with 16-inch steel wheels (Silver)		-
	205R16C 8PR 110/108R with 16-inch steel wheels (Silver)	-	•
	265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver)	-	-
Driving Performance			
Drive Mode		-	-
Active Yaw Control [AYC		-	-
Hill Start Assist [HAS]			•
Exterior			
Windscreen glass (Laminated glass with L	JV ray reduction)	•	•
Front bumper	Material black		
	Gloss black	-	-
Front bumper garnish	Chrome	_	-
Front fog light bezel	Chrome	_	_
Front grille	Material black		_
J2	Colour-keyed	-	-

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Exterior			
Wiper	Front windscreen - Variable Intermitted wiper (2-speed)	•	•
	Rain-sensing windscreen wiper	-	-
Windscreen washer (N	ozzle type)	•	
Rear window defogger	r with timer	-	-
Side step	Material black	-	-
	Sliver painted	-	-
Side door garnish (Mat		•	•
Outer door handle	Material black	•	•
	Chrome	-	<u>-</u>
Door mirror	Electrically adjustable	-	
	Heated Power folding mirror	•	-
	Material black Chrome		-
		-	-
Rear body guard fram	e	-	-
Rear bumper		-	-
Rear spoiler		-	-
Rear gate handle	Bar type	•	•
	Pull-up type	-	-
	Material black	-	-
	Chrome	-	-
Rear gate lock		-	-
Cargo bed	Outer hook x12		
-	Inner hook x4	•	
Towing hook (Front)			-
		-	-
Cockpit			
Multi-information dis	play 3.5-inch colour LCD display	•	•
	7-inch colour LCD display	-	-
Urethane steering who	eel (3-spoke type)	•	•
Leather-wrapped stee	ering wheel (3-spoke type)	-	-
Tilt and telescopic ste	ering wheel	-	-
Gearshift Knob (Leath	er-wrapped)	-	-
Gearshift lever boot (S	Synthetic leather with stitch)	-	-
Parking brake lever		•	-
Release switch	Material	•	-
	Chrome	-	-

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Seat			
Seat material	Vinyl	-	
	Fabric with stitch	-	-
	Leather	-	-
Driver seat	Manual adjustable seat (Sliding, reclining)	•	•
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	-	-
	Power seat (Sliding, reclining double-height, lumbar support)	-	-
Passenger seat	Manual adjustable seat (Sliding, reclining)		
Seatback pocket with m		-	-
Front seat height adjust	table headrest		
Rear centre armrest (wi	th cup holder)	-	-
Interior			
Instrument panel accen	t Material back	_	_
	Synthetic leather wrapped without stitch	-	-
Upper glove box	without lid	•	•
	with lid	-	-
Lower glove box		-	-
Floor console	Material Black	-	-
	Colour-keyed	-	-
Floor console box	with lid	-	-
	with lid (Synthetic leather)	-	-
Cup holder for floor con	sole x2	•	-
Central door locking sys	etem	-	-
Speed sensing automati	ic central door lock	-	•
Child safety lock		-	-
Remote keyless entry		-	-
Keyless Operation Syste	em [KOS]	-	-
Inner door handle	Material black	•	•
	Satin chrome	-	-
Front door armrest	Material black	•	-
	Synthetic leather without stitch	-	-
	Synthetic leather with stitch	-	-
Power window switch pa	anel (Material black)	-	
Driver side door power v		-	
Passenger side and rear	door power window switch	-	_
(Up and down)			
Key-off timer fuction		-	•

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Interior			
Room light	Front (Bulb)	-	-
	Rear (Bulb)	-	-
Front map light (Bulb	p)	-	•
Sunglass pocket		-	•
Floor carpet	Vinyl	•	-
	Needle punch	-	-
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side)	•	•
	Vanity mirror with lid (Passenger's side)	-	-
Dimming rearview m	irror	-	-
Air Conditioner			
Manual air condition	ing	•	•
Automatic air condit	ioning	-	-
Dual-zone automatic	air conditioning	-	-
Rear air circulator		-	-
Safety and Security			
Active Stability and	Traction Control [ASTC]	-	-
Emergency Stop Sign	nal system [ESS]		-
Brake override syste	m	-	-
Anti-lock Braking sys	stem [ABS]	-	
Electronic Brake forc	ce Distribution [EBD]		•
Brake assist system			-
Parking sensor (Fron	t and rear)	-	-
Cruise Control		-	-
Hill Descent Control	(HDC)	-	-
Immobiliser		•	
Passive safety	SRS airbag (Driver, passenger)		
Passive safety	SRS airbag (Driver, passenger, drivers knee)	-	-
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	-
	Passenger SRS airbag cut-off switch (Manual)	-	-
	Front 3-point seat belt with Emergency Locking Retractor [ELR]	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)	-	-
	Height adjustable front seatbelt anchor	-	-
	Rear seat 3-point seatbelt with ELR	-	-
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	-	-

Models		GL	GL
Engine Detail		2.4L DI-SC	2.4L DI-SC
Туре		2WD	4WD
Transmission Type		Manual	Manual
Navigation and Audio			
Smartphone-link Display Au	dio [SDA] (8-inch WVGA display)	-	-
AM/FM radio with Bluetootl	n® wireless technology	-	•
Smartphone-link Display Au Navigation system (9-inch \		-	-
Speaker	2-Speaker	•	•
	4-Speaker	-	-
	6-Speaker	-	-
Hands-free phone and voice	erecognition	-	•
Steering wheel audio contro	DI .	-	•
Lighting and Visibility			
Halogen headlight			•
LED headlight (High/low be	am)	-	-
Auto light system with off	switch	-	-
LED Daytime Running lamps	[DRL]	-	-
Front turn signal (Bulb)		•	•
Side turn signal	Bulb type on bumper	•	•
ı	LED on door mirror	-	-
Position (Clearance) light	Bulb	•	•
I	LED	-	-
Front fog light (LED)		-	-
Rear fog light (LED)		-	-
Stop light	Bulb		
	LED	-	-
Tail light	Bulb		
	LED	-	-
Rear turn signal	Bulb	•	•
	LED	-	-
Back-up light (Bulb)			
License plate light (Bulb)			•
LED high-mount stop light		-	•
Welcome light		-	-
Coming home light		-	-

Models	GL	GL	
Engine Detail	2.4L DI-SC	2.4L DI-SC	
Туре	2WD	4WD	
Transmission Type	Manual	Manual	
Convenience			
12V power outlet Floor console	-	-	
Instrument panel		•	
USB port for charging x2 (Rear console)	-	-	
Rearview camera	-	-	
Monitor with Moving Object Detection [MOD]	-	-	
Hands-free phone	-	•	
Microphone	-	•	
Wireless charger	-	-	
USB charging outlet x2	-	•	
Tool set (Simple set, wheelnut wrench) and jack	•		
Mass & Dimensions			
Tare/Kerb Weight (Kg)	1625	1795	
G.V.M (Kg)	2570	2755	
G.C.M (Kg) (if applicable)	-	4100	
Length (mm)	5320	5320	
Height (mm)	1700	1765	
Width (mm)	1865	1865	
Wheelbase (mm)	3130	3130	
Towing capacity - braked (kg)	-	1800	
Towing capacity - unbraked (kg)	-	750	

Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



## DOUBLE CAB STANDARD AND OPTIONAL EQUIPMENT

- Standard
- Not available
- Optional



Models	GL	GLS	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре	4WD	4WD	2WD	4WD
Transmission Type	Manual	Manual	Auto	Auto
General				
Transmission Type	5 speed	6 speed	6 speed	6 speed
Max. Output:	81kW@ 4000rpm	135kW @3500rpm	135kW @3500rpm	135kW @3500rpm
Max. Torque:	200Nm@1000- 3750rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm	430Nm@2250- 2500rpm
Engine Type:	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo	DOHC Intercooled Turbo
Ground Clearance:	221mm	228mm	228mm	228mm
Fuel System:	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection	Common Rail Direct Injection
Fuel Tank Capacity:	75L	75L	75L	75L
Drivetrain and Chassis				
2WD	-	-		-
Easy Select 4WD		-	-	-
Super Select 4WD-II	-	•	-	•
Rear differential lock (without limited slip differential)	-	-	-	
Front suspension (Double wishbone with coil spring)		•	•	•
Rear suspension (Nomal type)		•		•
Rear suspension (Elliptic leaf spring)		-	-	
Rear suspension (Heavy duty type)		-	-	-
Front ventilated disk brake, 2-pot (diameter: 290mm)	-	-	-	-
Front ventilated disk brake, 2-pot (diameter: 320mm)	-	•	•	•
Rear drum brake (11,6-inch)	•	•	•	•
Tyre and Wheel 205R16C 8PR 110/108R with 16-inch steel wheels (Silver)		-	-	-
265/60R18 (All-season tyre with 18-Inch alloy wheels (Silver) Spare: 265/60R18 (All-season) tyre + 18-Inch alloy wheel (Silver	-			
Driving Performance				
Drive Mode	-	•	-	-
Active Yaw Control [AYC]	-		-	•
Hill Start Assist [HAS]				-
Exterior				
Windscreen glass (Laminated glass with UV ray reduction)		•	•	•
Front bumper Material black		-	-	-
Gloss black	-			•
Front bumper garnish Chrome	-			•
Front fog light bezel Chrome	-		•	-
Front grille Material black		-	-	-
Colour-keyed	-			

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Exterior					
Wiper	Front windscreen - Variable Intermitted wiper (2-speed)	•	•	•	•
	Rain-sensing windscreen wiper	-	•		•
Windscreen washer (N	ozzle type)	•			
Rear window defogger	r with timer	•	-		-
Side step	Material black		•		
Side door garnish (Mat	erial black)	•	-	-	-
Outer door handle	Material black	•	-	-	-
	Chrome	-	•		•
Door mirror	Electrically adjustable		-		-
	Heated Power folding mirror	-	•	•	•
	Material black	•	-	-	-
	Chrome	-	•		•
Rear bumper		•	•		•
Rear spoiler		-	-	•	-
Rear gate handle	Pull-up type	•	-	-	-
	Material black		-	-	-
	Chrome	-			
Rear gate lock				•	
Cargo bed	Inner hook x4	•	-	-	-
Towing hook (Front)		-		-	
Cockpit					
Multi-information disp	play (3.5-inch colour LCD display)		-	-	-
	(7-inch colour LCD display)	-			
Urethane steering who			_	_	_
	ring wheel (3-spoke type)	_			
Tilt and telescopic ste		-		•	
Gearshift Knob (Leath		-			
Gearshift lever boot (S	Synthetic leather with stitch)	-			
Parking brake lever				•	
Release switch	Material		-	-	-
	Chrome	-		•	
Seat					
Seat material	Vinyl	-	-	-	-
	, Fabric with stitch		-	_	-
		_	_	_	_
	Leather	-	•	•	•

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Seat					
Driver seat	Manual adjustable seat (Sliding, reclining)	-	-	-	-
	Manual adjustable seat (Sliding, reclining, single-height, lever type)	-	-	-	-
	Power seat (Sliding, reclining double-height, lumbar support)	-	•		•
Passenger seat	Manual adjustable seat (Sliding, reclining)	-	-	-	•
Seatback pocket with n	nultiple pockets (Passenger side)	-	-	-	-
Front seat height adjus	table headrest	-	-	-	•
Rear centre armrest (w	ith cup hoder)	-	-	•	•
Interior					
Instrument panel accer	nt Material back  Synthetic leather wrapped without stitch				
Upper glove box	without lid		-	-	-
	with lid	-			
Lower glove box		-	-	-	-
Floor console	Material Black	-			
Floor console box	with lid		-	-	-
	with lid (Synthetic leather)	-			
Cup holder for floor cor	nsole x2				
Central door locking sy	stem			•	
Speed sensing automat	ic central door lock			•	
Child safety lock				•	
Remote keyless entry					
Keyless Operation Syste	em [KOS]	-			
Inner door handle	Material black		-	-	-
	Satin chrome	-			
Front door armrest	Material black		-	-	-
	Synthetic leather without stitch	-		-	
Power window switch p	Power window switch panel (Material black)			-	
		:	:	:	:
(Up and down)  Key-off timer fuction		-	-		-
Room light	Front (Bulb)	-		-	
	Rear (Bulb)	-		-	
Front map light (Bulb)	,,				
Sunglass pocket		-		-	
Juligiuss pocket					

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Interior					
Floor carpet	Vinyl Needle punch		-		
Sunvisor x2	Vanity mirror with lid and ticket holder (Driver's side) Vanity mirror with lid (Passenger's side)	:			:
Dimming rearview miri		-	-	-	-
Air Conditioner					
Manual air conditionin	g		-	-	-
Automatic air conditio	ning	-	•		
Dual-zone automatic a	air conditioning	-			
Rear air circulator		-	-		
Safety and Security					
Active Stability and Tra	action Control [ASTC]				
Emergency Stop Signal		-	_		_
Brake override system					
Anti-lock Braking syst	em [ABS]				
Electronic Brake force	Distribution [EBD]				
Brake assist system		•	•		•
Parking sensor (Front a	and rear)	-	•		
Cruise Control		-	-		
Hill Descent Control [H	IDC]	-	-	-	•
Immobiliser			-		•
Passive safety	SRS airbag (Driver, passenger, drivers knee)	•	-	-	-
	SRS airbag (Driver, passenger, Side (fr), Curtain (Fr and Rr), Knee (driver)	-	•	•	•
	Passenger SRS airbag cut-off switch (Manual) Front 3-point seat belt	-	•	•	•
	with Emergency Locking Retractor [ELR]	•	•	•	•
	Double pretensioner (Driver) and pretensioner (Passenger)	•	-	-	•
	Height adjustable front seatbelt anchor	-		-	•
	Rear seat 3-point seatbelt with ELR	•	•		-
	ISO-FIX Child restraint seat anchor and tether anchor Rear x2	•	•	•	•
Navigation and Audio					
Smartphone-link Displ (8-inch WVGA display)		-			
Speaker	2-speaker		-	-	-
	4-speaker	-	-	-	-

Models		GL	GLS	GLS	GLS
Engine Detail		2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре		4WD	4WD	2WD	4WD
Transmission Type		Manual	Manual	Auto	Auto
Navigation and Audio					
Hands-free phone and	voice recognition		-	-	-
Steering wheel audio co	ontrol	•	•	•	•
Lighting and Visibility					
Halogen headlight		•	-	-	-
<b>LED headlight</b> (High/lov	v beam)	-	•		•
Auto light system with	off switch	-			
LED Daytime Running la	mps [DRL]	-			-
Front turn signal (Bulb)			-	-	-
Side turn signal	Bulb type on bumper		-	-	-
	LED on door mirror	-	•		
Position (Clearance) lig	<b>ht</b> Bulb		-	-	-
	LED	-			
Front fog light (LED)		-			-
Rear fog light (LED)		-	-		-
Stop light	Bulb		-	-	-
Stop light	LED	-			
Tail light	Bulb		-	-	-
	LED	-	•	•	•
Rear turn signal	Bulb				
	LED	-	-	-	-
Back-up light (Bulb)					
<b>License plate light</b> (Bull	b)		-		-
LED high-mount stop li	ght		-		-
Welcome light		_			
Coming home light		-	_		-
Convenience					
12V power outlet	Floor console	-			
	Instrument panel		-		
USB port for charging x	USB port for charging x2 (Rear console)		-		-
Rearview camera		-			•
Hands-free phone					-
Microphone					
Wireless charger		-			-
USB charging outlet x2					-
Jack and looi set (Simp	Jack and Tool set (Simple set, wheelnut wrench)		•		

Models	GL	GLS	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC	2.4L DI-DC
Туре	4WD	4WD	2WD	4WD
Transmission Type	Manual	Manual	Auto	Auto
Mass & Dimensions				
Tare/Kerb Weight (kg)	1865	1965	1865	1965
G.V.M (kg)	2755	3000	2980	3000
G.C.M (kg) (if applicable)	4100	6000	6000	6000
Length (mm)	5320	5320	5320	5320
Height (mm)	1775	1795	1795	1795
Width (mm)	1865	1865	1865	1865
Wheelbase (mm)	3130	3130	3130	3130
Towing capacity - braked (kg)	1800	3500	3500	3500
Towing capacity - unbraked (kg)	750	750	750	750

Note: •ASTC: The control capabilities of Active Stability and Traction Control [ASTC] are supplemental only. Please drive safely and never rely solely on these functions whilst driving. Be sure to use the same specified type and size of tyres on all 4 wheels. Do not instal any aftermarket limited slip differential on your vehicle. •HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. •HDC: Hill Descent Control [HDC] is not a substitute for safe driving. Never rely solely on this function whilst driving on steep roads. When driving on slippery roads such as muddy, icy, or unpaved roads, your vehicle will not allow you to stay at a certain low speed, which may lead to a serious accident.

Drivers are fully responsible for their own safe driving. Please drive safely and do not rely solely on these systems whilst driving. Please see the owner's manual for additional information. If you have any questions, please consult your local MITSUBISHI MOTORS dealer/distributor for details.



Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		
EDITION 46 PACKAGE		
Tailgate assist	-	
Tailgate lock	-	
Grill emblem silver	-	
B-pillar foil	-	
Door handle protector (inner)	-	0
Side door moulding kit	-	
Side window deflector kit	-	
Under bumper tow bar	-	
Roof rails (black)	-	0
4x4 super select11 edition 46 side decal set	-	0
Dunlop tyres 265/65 R18 AT3G wit	-	
Load bin rubberrizing	-	
Black nudge bar	-	0
Raw suspension kit 40mm lift kit - optional extra	-	0
Black canopeak canopy, roof rack & kitchen with table	-	0
XTREME PACKAGE		
Tailgate assist		
Tailgate lock		
Grill emblem black		
B-pillar foil		
Door handle protector (inner)		
Fender arch molding kit		
Side door moulding kit (bolt in door type)		
Side window deflector kit		
Tonneau cover black		
Sports bar (black)		
Roof rails		
Door handle outer covers (black with lock/unlock prov)		
Head lamp covers		0
Daytime running lamp covers		

Models	GLS	GLS
Engine Detail	2.4L DI-DC	2.4L DI-DC
Туре	2WD	4WD
Transmission Type	Auto	Auto
Icons Collection		
XTREME PACKAGE		
Fog lamp covers		
Tail lamp covers		
Mirror covers		
Front bumper chrome covers (clip in bolt style)		
Fuel lid cover		
Xtreme & 4x4 decal combined		
Dunlop AT5 tyres 265/65 R17 - tyres		
Mag wheels - block ET0619317x9		
Wheel spanner		
Load bin rubberrizing		
ATHLETE PACKAGE		
Tailgate assist		
Tailgate lock		
Grill emblem silver		
B-pillar foil		
Door handle protector (inner)		
Fender arch molding kit slimline gloss		
Side window deflector kit		
Securilid - electric roller cover (extra for electric & manual) - optional extra		
Sport bar (black & silver)		
Roof rails		
Door handle outer covers (black)		
Head lamp covers		
Daytime running lamp covers		
Fog lamp covers		
Tail lamp covers		
Mirror covers		
Front bumper chrome covers black off		
Decal athlete		
Dunlop AT5 tyres 265/65 R17 - tyres		
17 Inch black 8.5J mag wheel (Nuts & locating ring)		
Centre cap mag wheel decal 55mm pack		
Wheel spanner		
Load bin rubberrizing		

