



# AND EVERYWHERE IN BETWEEN FROM

## THE ALL-NEW QUANTUM

A commercial vehicle for use by true professionals - is now further evolved and ready to hit the road.

To date, it's unwavering quality, durability and reliability remain unchanged; while its styling has been updated to a semi-bonnet body type with excellent safety features, The Quantum range includes panel dynamic new engines and a more

comfortable and quieter ride for a more relaxed travelling experience.

Changing from a cab-over to a semi-bonnet design adds peace of mind, while pursuing a modern and sophisticated silhouette.

van and bus derivatives, with the

option of a 3-seater panel van in long wheelbase (LWB) and super-long wheelbase (SLWB) configurations, as well as 6-seater long wheelbase (LWB) crew cabs.

The bus range offers 11-seater long wheel base (LWB) and 14-seater super long wheelbase (SLWB) versions.





## **MODEL LINE-UP**

**PANEL VAN:** 

2.8 LWB P/Van 3s 2.8 LWB P/Van 3s w/AC 2.8 SLWB P/Van 3s 2.8 SLWB P/Van 3s w/AC

420 Nm @ 1600-2200 r/min.

The four-cylinder, 2.8-litre turbo-diesel engine delivers maximum power of 130 kW @ 3400 r/min and peak torque of 420 Nm @ 1400 - 2600 r/min, on all panel vans and the 11-seater bus model. The 14-seater bus delivers power of 115 kW @ 3600 r/min and peak torque of

The Quantum has everything you need for a comfortable drive for the foreseeable road ahead, including an audio system with Bluetooth, USB and auxiliary inputs with convenient steering-mounted switches, front and

### **CREW CAB:**

2.8 LWB C/C 6s 2.8 LWB C/C 6s w/AC 2.8 LWB C/C 6s w/FR + RR AC **GL BUS:** 

2.8 GL Bus 11s 2.8 GL Bus 14s

rear air conditioning\*, electric windows, and power steering.

On the exterior, LED\* Daytime Running Lights (DRL) and fog lamps\* frame the newly-designed front bumper, and chrome\* grille, further complemented by the colour-coded\* and powerretractable\* side mirrors.

The Quantum is built around its passengers, and safety is essential. With active safety features such as Anti-lock Braking System (ABS), Brake-Assist (BA), Vehicle-Stability Control (VSC)

and Hill-Assist Control (HAC), this dramatically enhances peace-of-mind.

To minimise damage in the event of a collision, passive safety features include driver and front passenger airbags as well an impact-absorbing structure thanks to the semi-bonnet configuration.

For security the Quantum comes with wireless door locks and an alarm and immobiliser.

\*Available on selected models

## QUANTUM SPECIFICATIONS

	2.8 LWB P/VAN3s	2.8 LWB P / Van 3s w/AC	2.8 SLWB P/Van3s	2.8 SLWB P / Van 3s w/AC	2.8 LWB Crew Cab 6s	2.8 LWB Crew Cab 6s w/AC	2.8 LWB Crew Cab 6s w/FR + RR AC	2.8 GL Bus 11s	2.8 GL Bus 14s
Engine and Drivetrain									
Maximum power (kW @ r/min)	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	130 @ 3400	115 @ 3600
Maximum torque (Nm @ r/min)	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1400-2600	420 @ 1600-2200
Transmission	6-speed MT	6-speed MT	6-speed MT	6-speed MT	6-speed MT	6-speed MT	6-speed MT	6-speed MT	6-speed MT
Starting system	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)
Driven wheels	RWD	RWD	RWD	RWD	RWD	RWD	RWD	RWD	RWD
Valve mechanism	16,DOHC	16,DOHC	16,DOHC	16,DOHC	16,D0HC	16,DOHC	16,DOHC	16,DOHC	16,DOHC
Displacement (cm³)	2755	2755	2755	2755	2755	2755	2755	2755	2755
Compression ratio	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1	15.6 : 1
Bore x stroke (mm)	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6	92.0 x 103.6
Fuel system	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail	Diesel- Common rail
Suspension									
Front	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson
Rear	Leaf spring	Leaf spring	Leaf spring	Leaf spring	Leaf spring	Leaf spring	Leaf spring	Leaf spring	Leaf spring
Wheels and Tyres									
Tyre Size	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	215 / 70-R16C steel	235 / 65-R16C steel
Spare wheel		•	•	•	•	•	•	•	
Body and Styling									
Front bumper	Black	Black	Black	Black	Black	Black	Black	Painted	Painted
Rear bumper	Black	Black	Black	Black	Black	Black	Black	Painted	Painted
Front grille	Colour	Colour	Colour	Colour	Colour	Colour	Colour	Chrome	Chrome
Door outside handles	Black	Black	Black	Black	Black	Black	Black	Colour-coded	Colour-coded
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen	Halogen
Daytime Running Lights (DRL)	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	LED	LED
Headlamp levelling									
High-mounted brake light	LED	LED	LED	LED	LED	LED	LED	LED	LED
Rear lights	Bulb type	Bulb type	Bulb type	Bulb type	Bulb type	Bulb type	Bulb type	Bulb type	Bulb type
Front and rear fog lamps	Rear only	Rear only	Rear only	Rear only	Rear only	Rear only	Rear only		
Side mirrors	Black / retractable	Black / retractable	Black / retractable	Black / retractable	Black / retractable	Black / retractable	Black / retractable	Colour-coded / power retractable / power	Colour-coded / power retractable / power
Light control system	•								•
Air spats							•		

# QUANTUM SPECIFICATIONS

	2.8 LWB P/VAN 3s	2.8 LWB P / Van 3s w/AC	2.8 SLWB P / Van 3s	2.8 SLWB P / Van 3s w/AC	2.8 LWB Crew Cab 6s	2.8 LWB Crew Cab 6s w/AC	2.8 LWB Crew Cab 6s w/FR+RR AC	2.8 GL Bus 11s	2.8 GL Bus 14s
Interior, Comfort and Convenience									
Cupholders									
Glove box	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable	Lockable
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night
Overhead console									
2nd row seats					Fixed	Fixed	Fixed	Fixed	Fixed
Front seat adjustment/reclining									
Front seat vertical adjuster	Driver / manual	Driver / manual	Driver / manual	Driver / manual	Driver / manual	Driver / manual	Driver / manual	Driver / manual	Driver / manual
Seat trim	Fabric	Fabric	Fabric	Fabric	Fabric	Fabric	Fabric	Fabric	Fabric
Shift lever & knob	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane
Air-conditioner		Manual		Manual		Manual	Front & rear	Manual	Manual
Multi-Information Display (MID)									
Power socket	Front - 12V x2	Front - 12V x2	Front - 12V x2	Front - 12V x2	Front - 12V x2 / rear USB charging x2	Front - 12V x2 / rear USB charging x2			
Steering wheel	4 Spoke / urethane	4 Spoke / urethane	4 Spoke / urethane	4 Spoke / urethane	4 Spoke / urethane	4 Spoke / urethane			
Steering column adjustments	Manual / tilt & telescopic	Manual / tilt & telescopic	Manual / tilt & telescopic	Manual / tilt & telescopic	Manual / tilt & telescopic	Manual / tilt & telescopic			
Power steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Electric windows	Front	Front	Front	Front	Front	Front	Front	Front	Front
Steering switches	Audio	Audio	Audio	Audio	Audio	Audio	Audio	Audio	Audio
Audio system									
Bluetooth / AUX / USB									
Speakers	2	2	2	2	2	2	2	6	6
Safety and Security									
Anti-theft system	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm	Immobiliser / alarm
Power door lock									
Child lock									
Child Restraint System (ISOFIX)					2	2	2		
Driver and front passenger airbags									
Wireless door lock									
Rear window demister									
Driver Support Systems									
Anti-Lock Braking System (ABS)									
Brake-Assist (BA)									
Hill-Assist Control (HAC)									
Vehicle-Stability Control (VSC)									
Trailer Sway Control (TSC)									

	2.8LWB P/VAN3s	2.8 LWB P / Van 3s w/AC	2.8 SLWB P/Van3s	2.8 SLWB P / Van 3s w/AC	2.8 LWB Crew Cab 6s	2.8 LWB Crew Cab 6s w/AC	2.8 LWB Crew Cab 6s w/FR + RR AC	2.8 GL Bus 11s	2.8 GL Bus 14s
Dimensions and Capacities									
Height (mm)	1990	1990	2280	2280	1990	1990	1990	1990	2280
Length (mm)	5265	5265	5915	5915	5265	5265	5265	5265	5915
Width (mm)	1950	1950	1950	1950	1950	1950	1950	1950	1950
Wheelbase (mm)	3210	3210	3860	3860	3210	3210	3210	3210	3860
Fuel tank size (∕)	65	65	65	65	65	65	65	65	65
Gross Combination Mass (GCM)	5200	5200	4900	4900	5200	5200	5200	4945	5310
Gross Vehicle Mass (GVM)	3300	3300	3500	3500	3300	3300	3300	3445	3810
Turning circle (tyres, m)	5.5	5.5	6.4	6.4	5.5	5.5	5.5	5.5	6.4
Towing capacity - unbraked (kg)	400	400	400	400	400	400	400	400	400
Towing capacity - braked (kg)	1900	1900	1400	1400	1900	1900	1900	1500	1500
Approach angle (°)	15.2	15.2	15.2	15.2	15.2	15.2	15.2	15.2	15.2
Departure angle (°)	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4
Service and Warranty plan									
Service interval	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km	12 months / 10 000 km
Service plan	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km	9 services / 90 000 km
Warranty	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km	3 years / 100 000 km

#### **COLOUR SWATCHES**

Ivory White 058 Quicksilv





\* Customer order only

\*\* Customer order only for GL Bus

#### **DISCLAIMER:**

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

