TOYOTA STARLET CROSS



OWN IT





Door Inside Handles

	Starlet Cross 1.5L XR AT	Starlet Cross 1.5L XR MT	Starlet Cross 1.5L Xs AT	Starlet Cross 1.5L Xs MT
Engine and Drivetrain				
Bore x Stroke (mm)	74.0 x 85.0	74.0 x 85.0	74.0 x 85.0	74.0 x 85.0
Fuel System	Petrol	Petrol	Petrol	Petrol
Maximum Power (kW @ r/min)	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000
Maximum Torque (Nm @ r/min)	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4
Engine capacity (litre)	1.5	1.5	1.5	1.5
Fuel Consumption (Combined Cycle) (1/100km)	5.8	5.6	5.8	5.6
CO2 Emission (g/km)	134	131	134	131
ransmission				
Transmission	Automatic-4-speed	Manual-5-speed	Automatic-4-speed	Manual-5-speed
Driven Wheels	FWD	FWD	FWD	FWD
Starting System	Push Start	Push Start	Rotary (Mechanical)	Rotary (Mechanical)
Suspension				
	MacPherson	MacPherson	MacPherson	MacPherson
Rear	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam
Vheels and Tyres				
Spare Wheel	Full 195-60R16 steel	Full 195-60R16 steel	Full 195-60R16 steel	Full 195-60R16 steel
Tyre Size	F:195-60R16 alloy R:195-60R16 alloy	F:195-60R16 alloy R:195-60R16 alloy	F:195-60R16 alloy R:195-60R16 alloy	F:195-60R16 alloy R:195-60R16 alloy
Body and Styling				
Daytime Running Light	Standard LED	Standard LED	Standard LED	Standard LED
Door Outside Handles	Colour - Coded	Colour - Coded	Colour - Coded	Colour - Coded
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded
- leadlights	LED	LED	LED	LED
leadlamp Levelling	Standard Manual	Standard Manual	Standard Manual	Standard Manual
ligh-Mounted Brake Light	Standard LED	Standard LED	Standard LED	Standard LED
ight Control System	Auto Light Control System, Follow me home	Auto Light Control System, Follow me home	Auto Light Control System, Follow me home	Auto Light Control Syster Follow me home
Side Mirrors	Roof Colour Power / Auto-Retractable / With Indicator / Power Retractable	Roof Colour Power / Auto-Retractable / With Indicator / Power Retractable	Colour Coded Power / With Indicator / Power Retractable	Colour Coded Power / Wit Indicator / Power Retractal
ront Grille	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome
Rear Bumper	Colour Coded Skid Plate	Colour Coded Skid Plate	Colour Coded Skid Plate	Colour Coded Skid Plate
Rear Lights	LED	LED	LED	LED
Side Protective Mouldings	Standard Black	Standard Black	Standard Black	Standard Black
Front Window Wiper	Intermittent, Time adjustable	Intermittent, Time adjustable	Intermittent	Intermittent
Rear Window Wiper	Intermittent	Intermittent	•	•
Rear Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler	Standard Roof Spoiler
nterior, Comfort and Convenience				
Door Inside Handles	Chromo	Chrome	Black	Black

Chrome

Chrome

Black

Black



Steering Switches

USB

Starlet Cross 1.5L XR AT Starlet Cross 1.5L XR MT Starlet Cross 1.5L Xs AT Starlet Cross 1.5L Xs MT **Interior, Comfort and Convenience** Floor Carpet Trim Carpet Carpet Carpet Carpet **Glove Box** Standard Light **Standard Light** Standard No Light **Standard No Light Rear View Mirror** Electrochromatic (EC) Electrochromatic (EC) Day & Night Day & Night **Key Reminder Warning Luggage Room Lamp** 2nd Row Seats **60:40 Manual** 60:40 Manual **60:40 Manual 60:40 Manual Room Lamp Seat Trim** Fabric Fabric Fabric Fabric Shift Lever & Knob **Urethane, Chrome Urethane, Chrome Urethane, Chrome Urethane, Chrome** Speedometer **Analog Tachometer Analog Tachometer Analog Tachometer Analog Tachometer Steering Wheel** 3 Spoke Leather 3 Spoke Leather 3 Spoke Leather 3 Spoke Leather **Centre Console Standard Cup holder Standard Cup holder Standard Cup holder Standard Cup holder Luggage Tray Cruise Control** Airconditioner Auto Auto Auto Auto **Audio System** Toyota Display Audio, 9-inch Toyota Display Audio, 9-inch Toyota Display Audio, 7-inch Toyota Display Audio, 7-inch **Display Audio Panoramic Display Audio Panoramic Reverse Camera Display Audio Display Audio View Monitor View Monitor** Bluetooth Front Armrest **Standard With Slide Standard With Slide** Standard With Slide **Standard With Slide Light Remind Warning Driver Manual** Front Seat Vertical Adjuster **Driver Manual Multi-Information Display** Standard-TFT-Colour,-4.2-inch Standard-TFT-Colour,-4.2-inch **Standard-Segment Standard-Segment Heads Up Display (HUD)** Power Socket Front - 12V Front - 12V Front - 12V Front - 12V Electric / (EPS) Electric / (EPS) **Power Steering** Electric / (EPS) Electric / (EPS) All All All All **Electric Windows Cooler Air Vents Cooler Air Vents Rear Airconditioner Cooler Air Vents Cooler Air Vents** Standard 6 **Speakers** Standard 6 Standard 4 Standard 4 Manual Tilt, Telescopic **Steering Column Adjustments** Manual Tilt, Telescopic **Manual Tilt Manual Tilt**

Standard Audio, Telephone,

Cruise Control

Standard 3




	Starlet Cross 1.5L XR AT	Starlet Cross 1.5L XR MT	Starlet Cross 1.5L Xs AT	Starlet Cross 1.5L Xs MT
Interior, Comfort and Convenience				
Door Courtesy Lamp	•	•		
Toyota Connect Enabled	•	•	•	•
Wireless Charger	Standard Front x1	Standard Front x1		
Android Auto & Apple Carplay Connection	Standard Cable Android Auto, Wireless CarPlay			
USB Type A	Standard 2PCs	Standard 2PCs	Standard 2PCs	Standard 2PCs
USB Type C	Standard 1PC	Standard 1PC	Standard 1PC	Standard 1PC
Safety and Security				
Anti-Theft System	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm
Centre Rear Seatbelt	Standard 3-Point	Standard 3-Point	Standard 3-Point	Standard 3-Point
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Rear Brake	Drum	Drum	Drum	Drum
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front + Rear	Front + Rear	Front + Rear	Front + Rear
Wireless Door Lock	Standard Smart Entry	Standard Smart Entry	Standard Remote	Standard Remote
Rear Window Demister	•	•	•	•
Airbags	Side, Curtain, Driver, Passenger	Side, Curtain, Driver, Passenger	Driver, Passenger	Driver, Passenger
Driver Support Systems				
Park Distance Control	Standard Rear	Standard Rear	Standard Rear	Standard Rear
Anti-Lock Braking System (ABS)	•	•	•	•
Brake Assist (BA)	•	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•	•
Hill Assist Control (HAC)	•	•	•	•
Vehicle Stability Control (VSC)	•	•	•	•
Service and Warranty				
Service Plan	4 Comises / CO COOL	4 Sorviges / 60 0001	4 Sarvicas / 50 0001	4 Services / 60,000km
Service Interval	4 Services / 60,000km 12 months / 15,000km	4 Services / 60,000km 12 months / 15,000km	4 Services / 60,000km 12 months / 15,000km	12 months / 15,000km
Warranty	3 years / 100,000km			
	3 years / 100,000kiii	5 years / 100,000kill	5 years / 100,000kiii	3 years / 100,000kill
Dimensions and Capacities				
Front Tread (mm)	1520	1520	1520	1520
Fuel Tank Size (L)	37	37	37	37
Gross Combination Mass (GCM)	2480	2480	2480	2480
Ground Clearance (mm)	170	170	170	170



	Starlet Cross 1.5L XR AT	Starlet Cross 1.5L XR MT	Starlet Cross 1.5L Xs AT	Starlet Cross 1.5L Xs MT
Dimensions and Capacities				
Gross Vehicle Mass (GVM)	1480	1480	1480	1480
Height (mm)	1550	1550	1550	1550
Kerb Weight (kg)	1010~1015	1005~1010	1010~1015	1005~1010
Length (mm)	3995	3995	3995	3995
Lugagge Capacity (L)	304	304	304	304
Rear Tread (mm)	1530	1530	1530	1530
Towing Capacity - Unbraked (kg)	400	400	400	400
Towing Capacity - Braked (kg)	1000	1000	1000	1000
Turning circle (tyres, m)	4.8	4.8	4.8	4.8
Wheelbase (mm)	2520	2520	2520	2520
Width (mm)	1765	1765	1765	1765
Top Speed (km/h)	170	175	170	175



LINE DRAWING





EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



WB3 - Sonic Black Pearl



WBE - Premium Liquid Silver



WBF - Shadow Grey



WBH - Galaxy Blue



ZHJ - Mystic Pearl White



ZYE - Fine Orange

BI-TONE

ONLY AVAILABLE ON XR MODELS.



E85 - Liquid Silver Bi-Tone



E86 - Luxe Red Bi-Tone



E88 - Fine Orange Bi-Tone





Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

Issued on: 2025/02/25

