

## **SPECIFICATIONS**

	LC79 4.0	LC79 4.2	LC79 4.5 V8	LC79 2.8 GD-6
Engine and Drivetrain				
Engine capacity (ℓ)	4.0	4.2	4.5	2.8
Displacement (cm³)	3956	4164	4461	2755
Bore x Stroke (mm)	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0	92.0 x 103.6
Compression Ratio	10.0:1	22.4:1	16.8:1	15.6:1
Differential Gear Ratio	4.100	4.100	3.909	4.300
Differential Lock	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Emission Control	Euro 2	Euro 2	Euro 4 – With OBD	Euro 2
Engine Monitor Warning	•		•	•
Fuel System	Petrol - EFI	Diesel	Diesel - Common Rail	Diesel - Common Rail
Maximum Power (kW @ r/min)	170 @ 5200	96 @ 3800	151 @ 3400	150 @ 3000 - 3400
Maximum Torque (Nm @ r/min)	360 @ 3800	285 @ 2200	430 @ 1200 - 3200	500 @ 1600 - 2800
Number of Cylinders and Arrangement	V-Type-6	Inline-6	V-Type-8	Inline-4
Reverse Gear ratio	4.313	4.220	4.313	3.732
Stabiliser	Front Only	Front Only	Front Only	Front Only
Suspension (Rear)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)
Transmission	Manual-5-speed	Manual-5-speed	Manual-5-speed	Automatic-6-speed
Turbo Charger	<b>D.</b>	<b>B</b> 1	•	
Suspension (Front)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)
Wheels and Tyres				
Spare Tyre	Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy
Spare Wheel Carrier	Load Box	Load Box	Load Box	
Wheel and Tyre	F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy	F:265-70R16 Alloy / R:265-70R16 Alloy
Body and Styling				
Snorkel			•	
Antenna	•	•	•	•
Body Colour	Monotone	Monotone	Monotone	Monotone
Engine Under Cover & Protector	•	•	•	•
Front Bumper	Black	Black	Black + Plated	Black
Front Fog Lamps	LED	LED	LED	LED
Windshield Glass	Laminated, Green	Laminated, Green	Laminated, Green	Laminated, Green
Grade Mark			LX	•
Mud Guards	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Side Step	Black	Black	Aluminium	Black
Headlights	Halogen	Halogen	Halogen	Halogen
Side Mirrors Over-Fenders	Black	Black	Black	Black
Front Grille	Material	Material	Material	Material
Tow Hook	2	2	2	2
Front Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent
Loadbox	•	•	•	•
Interior, Comfort and Conveni	ence			
4WD Selector	Lever	Lever	Lever	Lever
Cupholders	•	•	•	
Floor Carpet Trim	PVC	PVC	Carpet	PVC
Front Headrest	Adjustable, 2	Adjustable, 2	Adjustable, 2	Adjustable, 2
Glove Box	Lockable	Lockable	Lockable	Lockable
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night
Seat Trim	Vinyl	Vinyl	Fabric	Fabric
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog	Analog	Analog	Analog
Steering Wheel	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Leather + Wood	4 Spoke / Leather + Wood
Air Conditioner	Manual	Manual	Manual	Manual
Heater	Manual	Manual	Manual	Manual
Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Electric Windows	All / One Touch Driver only	All / One Touch Driver only	All / One Touch Driver only	All / One Touch Driver only
Speakers	2 Manual / Tilt & Telescopic,	2 Manual / Tilt & Toloscopic	2 Manual / Tilt & Telescopic,	2 Manual / Tilt & Telescopic,
Steering Column Adjustments	Manual / Tilt & Telescopic, Collapsible	Manual / Tilt & Telescopic, Collapsible	Manual / Tilt & Telescopic, Collapsible	Manual / Tilt & Telescopic, Collapsible
USB Type C	and the same	p	2	
Toyota Connect Enabled		•	•	
Seat Back Pockets	•	•	•	
Centre Console	Rear	Rear	Rear	Front, Rear
E Centre Console		a constant	11001	

		LC79 4.0	LC79 4.2	LC79 4.5 V8	LC79 2.8 GD-6
ı	Cofety and Committee	LC/ 3 4.0	LC/ 5 4.2	267 5 4.5 00	EC73 2.8 GD 0
	Safety and Security				
	Anti-Theft System	Siren / Alarm + Immobiliser			
ı	Front Airbag(s)	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger
	Power Door Lock	•	•	•	•
	Spare Wheel Anti-Theft Lock	•	•	•	•
	Wireless Door Lock	Remote	Remote	Remote	Remote
	Driver Support Systems				
	Anti-Lock Braking System (ABS)	•	•	•	•
	Brake Assist (BA)				•
	Electronic Brake Force Distribution (EBD)				•
	Hill Assist Control (HAC)				•
	Traction Control (TRC)				Active Traction Control (ATRC)
X.	Vehicle Stability Control (VSC)				•
	Downhill Assist Control (DAC)				•
	Service and Warranty				
	Service Plan	Optional	Optional	Optional	Optional
7	Service Interval	12 months / 10 000km	12 months / 5 000km	12 months / 10 000km	12 months / 10 000km
	Warranty	3 years / 100 000km			
2	Dimensions and Capacities		-	-	
*	Approach Angle (°)	33.0	33.0	33.0	33.0
3	Departure Angle (°)	27.0	27.0	27.0	27.0
	Front Overhang (mm)	850	850	860	850
Ċ.	Front Tread (mm)	1555	1555	1555	1555
2	Fuel Tank Size (ℓ)	90	90	90	90
	Gross Combination Mass (GCM)	4700	4700	6800	6800
	Ground Clearance (mm)	235	235	235	235
3	Gross Vehicle Mass (GVM)	3200	3200	3300	3300
1	Height (mm)	1955	1955	1955	1955
	Interior Height (mm)	1120	1120	1120	1120
	Interior Length (mm)	980	980	980	980
	Interior Width (mm)	1510	1510	1510	1510
	Kerb Weight (kg)	2015	2090	2200	2120
	Length (mm)	5235	5235	5245	5235
3	Rear Overhang (mm)	1205	1205	1205	1205
3	Rear Tread (mm)	1460	1460	1460	1460
	Secondary Fuel Tank (ℓ)	90	90	90	90
1	Towing Capacity - Unbraked (kg)	750	750	750	750
**	Towing Capacity - Braked (kg)	1500	1500	3500	3500
	Turning circle (tyres, m)	7.2	7.2	7.2	7.2
3	Wheelbase (mm)	3180	3180	3180	3180
2	Width (mm)	1870	1870	1870	1870
1	Top Speed (km/h)	165	140	160	150

## COLOUR SELECTOR

Ivory White 058 Satin Silver



Metallic 1G3\*



Metallic 1F7

Ruby Metallic 3Q3\*





Dark Blue 8H6\*

\*Customer Order Only



There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Land Cruiser deal for you. At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Land Cruiser. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance

## DISCLAIMER:

The information contained in this leaflet is provided as is and any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

