TOYOTA COROLLA QUEST



HAS IT ALL





	Corolla Quest Exclusive MT	Corolla Quest Exclusive CVT	Corolla Quest Plus	Corolla Quest Prestige	Corolla Quest CVT Plus	Corolla Quest Prestige CVT
Engine and Drivetrain						
Bore x Stroke (mm)	80.5x88.3	80.5x88.3	80.5x88.3	80.5x88.3	80.5x88.3	80.5x88.3
Fuel System	Petrol EFI					
Maximum Power (kW @ r/min)	103 @ 6400	103 @ 6400	103 @ 6400	103 @ 6400	103 @ 6400	103 @ 6400
Maximum Torque (Nm @ r/min)	173 @ 4000	173 @ 4000	173 @ 4000	173 @ 4000	173 @ 4000	173 @ 4000
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Sequential shift		•			•	•
Engine capacity (litre)	1.8	1.8	1.8	1.8	1.8	1.8
Fuel Consumption (Combined Cycle) (1/100km)	7.0	6.4	7.0	7.0	6.4	6.4
CO2 Emission (g/km)	165	152	165	165	152	152
0-100 (sec)	9.8	10.2	9.8	9.8	10.2	10.2
Transmission						
Transmission	Manual-6-speed	сут	Manual-6-speed	Manual-6-speed	CVT	CVT
Driven Wheels	FWD	FWD	FWD	FWD	FWD	FWD
Starting System	Push Start					
Suspension						
Front	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson	MacPherson
Rear	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam
Wheels and Tyres						
Spare Wheel	Full 205-55R16Steel	Full 205-55R16Steel	Full 195-65R15Steel	Full 205-55R16Steel	Full 195-65R15Steel	Full 205-55R16Steel
Tyre Size	F:205-55R16Alloy R:205-55R16Alloy	F:205-55R16Alloy R:205-55R16Alloy	F:195-65R15Steel R:195-65R15Steel	F:205-55R16Alloy R:205-55R16Alloy	F:195-65R15Steel R:195-65R15Steel	F:205-55R16Alloy R:205-55R16Alloy
Body and Styling						
Daytime Running Light	Standard LED					
Door Outside Handles	Colour - Coded					
Front Bumper	Colour Coded					
Headlights	LED	LED	Halogen	Halogen	Halogen	Halogen
Headlamp Levelling	Standard Automatic	Standard Automatic	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Light Control System	Follow me home	Follow me home		Follow me home		Follow me home
Luggage Boot / Rear Door	•	•	•	•	•	•
Side Mirrors	Colour Coded Power					
Front Grille	Colour, Chrome	Colour, Chrome	Black	Black, Colour	Black	Black, Colour
Rear Bumper	Colour Coded					
Rear Lights	Bulb Type					
Rear Fog Lamp	•	•	•	•	•	•
Front Window Wiper	Auto, Rainsensing	Auto, Rainsensing	Intermittent	Intermittent	Intermittent	Intermittent
Privacy Glass	Laminated, Green					



	Corolla Quest Exclusive MT	Corolla Quest Exclusive CVT	Corolla Quest Plus	Corolla Quest Prestige	Corolla Quest CVT Plus	Corolla Quest Prestige CVT
Interior, Comfort and Convenience						
Cupholders	Standard 4	Standard 4	Standard 2	Standard 2	Standard 2	Standard 2
Floor Carpet Trim	Carpet With Heel Pad	Carpet With Heel Pad	Carpet With Heel Pad	Carpet With Heel Pad	Carpet With Heel Pad	Carpet With Heel Pad
Front Headrest	Adjustable 2	Adjustable 2	Adjustable 2	Adjustable 2	Adjustable 2	Adjustable 2
Rear View Mirror	Electrochromatic (EC)	Electrochromatic (EC)	Day & Night	Day & Night	Day & Night	Day & Night
2nd Row Seats	60:40	60:40	Fixed	Fixed	Fixed	Fixed
Seat Trim	Partial Leather	Partial Leather	Fabric	Leather + Fabric	Fabric	Leather + Fabric
Shift Lever & Knob	Leather	Leather	Urethane	Leather	Urethane	Leather
Speedometer	Analog	Analog	Analog	Analog	Analog	Analog
Steering Wheel	3 Spoke Leather	3 Spoke Leather	3 Spoke Urethane	3 Spoke Leather	3 Spoke Urethane	3 Spoke Leather
Front Personal Lamp	•	•				
Centre Console	•	•	•	•	•	•
Meter Illumination Control	•	•		•		•
Cruise Control	•	•		•		•
Airconditioner	Auto	Auto	Manual	Manual	Manual	Manual
Audio System	Toyota Display Audio, RDS	Toyota Display Audio, RDS	Toyota RDS	Toyota Display Audio, RDS	Toyota RDS	Toyota Display Audio, RDS
Auxiliary Input	•	•	•	•	•	•
Reverse Camera	Display Audio	Display Audio		Display Audio		Display Audio
Bluetooth	•	•	•	•	•	•
Disc type	Standard DVD	Standard DVD	Standard CD	Standard DVD	Standard CD	Standard DVD
Front Seat Adjustment	Manual	Manual	Manual	Manual	Manual	Manual
Front Seat Vertical Adjuster						
Light Remind Warning	Driver Manual	Driver Manual	Driver Manual	Driver Manual	Driver Manual	Driver Manual
Multi-Information Display	Driver Manual Standard Auto cut-off	Driver Manual Standard Auto cut-off	Driver Manual Standard Auto cut-off	Driver Manual Standard Auto cut-off	Driver Manual Standard Auto cut-off	Driver Manual Standard Auto cut-off
Pluiti-illioi mation bispiay	Standard Auto	Standard Auto	Standard Auto	Standard Auto	Standard Auto	Standard Auto
Power Steering	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off
· •	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off	Standard Auto cut-off
Power Steering	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver
Power Steering Electric Windows	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver	Standard Auto cut-off • Electric / (EPS) All One Touch Driver
Power Steering Electric Windows Rear Armrest	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2 Cupholders	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2 Cupholders	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only
Power Steering Electric Windows Rear Armrest Speakers	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 2 Cupholders Standard 6 Manual Tilt &	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 2 Cupholders Standard 6 Manual Tilt &	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 4 Manual Tilt &	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 6 Manual Tilt &	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 4 Manual Tilt &	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 6 Manual Tilt &
Power Steering Electric Windows Rear Armrest Speakers Steering Column Adjustments	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2 Cupholders Standard 6 Manual Tilt & Telescopic	Standard Auto cut-off • Electric / (EPS) All One Touch Driver only Standard 2 Cupholders Standard 6 Manual Tilt & Telescopic	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 4 Manual Tilt & Telescopic	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 6 Manual Tilt & Telescopic	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 4 Manual Tilt & Telescopic	Standard Auto cut-off Electric / (EPS) All One Touch Driver only Standard 6 Manual Tilt & Telescopic




		Corolla Quest Exclusive MT	Corolla Quest Exclusive CVT	Corolla Quest Plus	Corolla Quest Prestige	Corolla Quest CVT Plus	Corolla Quest Prestige CVT
	Safety and Security						
	Airbag On-Off Switch	•	•	•	•	•	•
Standard Sprigate (SDF)(N)	Anti-Theft System						
Semigraphy Nation Semigraphy Semigraph	Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Tamps Tamp	Child Restraint System (ISOFIX)	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Post Sand Bellet Post Sand Bellet Post Sand Bellet Post Sand Bellet	Emergency Brake Signal						
Professionary Professionar	Parking Brake	Lever	Lever	Lever	Lever	Lever	Lever
Professional Pro	Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Part	Front Seat Belts						
Rear Seat Bellot Standard ELR Front - Rear Buzzer value Standard Smart Standard Sm	Power Door Lock						
	Rear Brake	Disc	Disc	Disc	Disc	Disc	Disc
	Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Entry Entr	Seat Belt Warning						
Albags Passenger, Driver Knee Passenger, Driver Knee <th< td=""><td>Wireless Door Lock</td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	Wireless Door Lock						
Anti-Lock Braking System (ABS) 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 <th< td=""><td>Airbags</td><td>Passenger, Driver</td><td>Passenger, Driver</td><td></td><td>Passenger, Driver</td><td></td><td>Passenger, Driver</td></th<>	Airbags	Passenger, Driver	Passenger, Driver		Passenger, Driver		Passenger, Driver
Brake Assist (BA) 1	Driver Support Systems						
Electronic Brake Force Distribution (EBD)	Anti-Lock Braking System (ABS)	•	•	•	•	•	•
Hill Assist Control (HAC)	Brake Assist (BA)	•	•	•	•	•	•
Vehicle Stability Control (VSC) . <t< td=""><td>Electronic Brake Force Distribution (EBD)</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Service Plan 3 Services / 45,000km 45,	Hill Assist Control (HAC)	•	•	•	•	•	•
Service Plan 3 Services/ 45,000km 12 months/ 15,000km 3 years/100,000km 940 940 940 940 940	Vehicle Stability Control (VSC)	•	•	•	•	•	•
Service Interval 45,000km 12 months / 15,000km 15,000km 3 years / 100,000km 9 40 9 50 5 5 5 5 5 5 5 5	Service and Warranty						
Service interval 15,000km 3 years / 100,000km 940 94	Service Plan						
Dimensions and Capacities Front Overhang (mm) 940 9	Service Interval						
Front Overhang (mm) 940	Warranty	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km
Front Tread (mm) 1525	Dimensions and Capacities						
Fuel Tank Size (L) 55	Front Overhang (mm)	940	940	940	940	940	940
Gross Combination Mass (GCM) 3085 3085 3085 3085 3085 3085 Ground Clearance (mm) 125 125 125 125 125 125 125 1785	Front Tread (mm)	1525	1525	1525	1525	1525	1525
Ground Clearance (mm) 125	Fuel Tank Size (L)	55	55	55	55	55	55
Gross Vehicle Mass (GVM) 1785 1785 1785 1785 1785 Height (mm) 1465 <	Gross Combination Mass (GCM)	3085	3085	3085	3085	3085	3085
Height (mm) 1465 1465 1465 1465 1465 Kerb Weight (kg) 1270-1290 1285-1305 1270-1290 1270-1290 1285-1305	Ground Clearance (mm)	125	125	125	125	125	125
Kerb Weight (kg) 1270-1290 1285-1305 1270-1290 1270-1290 1285-1305 1285-1305	Gross Vehicle Mass (GVM)	1785	1785	1785	1785	1785	1785
	Height (mm)	1465	1465	1465	1465	1465	1465
Length (mm) 4620 4620 4620 4620 4620 4620	Kerb Weight (kg)	1270-1290	1285-1305	1270-1290	1270-1290	1285-1305	1285-1305
	Length (mm)	4620	4620	4620	4620	4620	4620



	Corolla Quest Exclusive MT	Corolla Quest Exclusive CVT	Corolla Quest Plus	Corolla Quest Prestige	Corolla Quest CVT Plus	Corolla Quest Prestige CVT
Dimensions and Capacities						
Lugagge Capacity (L)	452	452	452	452	452	452
Rear Overhang (mm)	980	980	980	980	980	980
Rear Tread (mm)	1520	1520	1520	1520	1520	1520
Towing Capacity - Unbraked (kg)	450	450	450	450	450	450
Towing Capacity - Braked (kg)	1300	1300	1300	1300	1300	1300
Turning circle (tyres, m)	5.4	5.4	5.4	5.4	5.4	5.4
Wheelbase (mm)	2700	2700	2700	2700	2700	2700
Width (mm)	1775	1775	1775	1775	1775	1775
Top Speed (km/h)	200	195	200	200	195	195



LINE DRAWING





EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE



040 - Glacier White



1D6 - Chromium Silver



1G3 - Graphite Grey Metallic



8NO - Seaside Pearl Metallic



3T6 - Arizona Red



6X1 - Oxide Bronze



218 - Attitude Black



Disclaimer:

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

