

TOYOTA RUMION



MORE ROOM FOR FUN



Issued on: 2025/02/25



SPECIFICATIONS

	Toyota Rumion 1.5 TX AT	Toyota Rumion 1.5 TX MT	Toyota Rumion 1.5 SX AT	Toyota Rumion 1.5 SX MT	Toyota Rumion 1.5 S MT
--	-------------------------	-------------------------	-------------------------	-------------------------	------------------------

Engine and Drivetrain

Bore x Stroke (mm)	74 x 85	74 x 85	74 x 85	74 x 85	74 x 85
Displacement (cm ³)	1462	1462	1462	1462	1462
Engine Code	K15BN	K15BN	K15BN	K15BN	K15BN
Fuel System	Petrol	Petrol	Petrol	Petrol	Petrol
Maximum Power (kW @ r/min)	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000	77 @ 6000
Maximum Torque (Nm @ r/min)	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400	138 @ 4400
Number of Cylinders and Arrangement	Inline-4	Inline-4	Inline-4	Inline-4	Inline-4
Engine capacity (litre)	1.5	1.5	1.5	1.5	1.5
Fuel Consumption (Combined Cycle) (l/100km)	6.2	6.2	6.2	6.2	6.2
CO2 Emission (g/km)	147	146	147	146	146

Transmission

Transmission	Automatic-4-speed	Manual-5-speed	Automatic-4-speed	Manual-5-speed	Manual-5-speed
Driven Wheels	FWD	FWD	FWD	FWD	FWD
Starting System	Push Start	Push Start	Rotary (Mechanical)	Rotary (Mechanical)	Rotary (Mechanical)

Suspension

Front	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
Rear	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam	Torsion-Beam

Wheels and Tyres


Spare Wheel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel	Full 185-65 R15 Steel
Tyre Size	F:185-65 R15 Alloy R:185-65 R15 Alloy	F:185-65 R15 Alloy R:185-65 R15 Alloy	F:185-65 R15 Steel R:185-65 R15 Steel	F:185-65 R15 Steel R:185-65 R15 Steel	F:185-65 R15 Steel R:185-65 R15 Steel

Body and Styling

Body Colour	Monotone	Monotone	Monotone	Monotone	Monotone
Door Outside Handles	Chrome - Smart	Chrome - Smart	Colour - Coded	Colour - Coded	Black
Front Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Front Fog Lamps	•	•			
Headlights	Halogen	Halogen	Halogen	Halogen	Halogen
High-Mounted Brake Light	Standard LED	Standard LED	Standard LED	Standard LED	Standard LED
Side Mirrors	Colour Coded Power / Retractable / With Indicator	Colour Coded Power / Retractable / With Indicator	Colour Coded Power / Retractable / With Indicator	Colour Coded Power / Retractable / With Indicator	Black
Light Control System	Follow me home	Follow me home			
Front Grille	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome	Black, Chrome
Rear Bumper	Colour Coded	Colour Coded	Colour Coded	Colour Coded	Colour Coded
Rear Lights	LED	LED	LED	LED	LED
Front Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent	Intermittent
Rear Window Wiper	•	•	•	•	

Interior, Comfort and Convenience

Assist Grip	Standard 5	Standard 5	Standard 5	Standard 5	Standard 5
-------------	------------	------------	------------	------------	------------



SPECIFICATIONS

Toyota Rumion 1.5 TX AT

Toyota Rumion 1.5 TX MT


Toyota Rumion 1.5 SX AT

Toyota Rumion 1.5 SX MT

Toyota Rumion 1.5 S MT

Interior, Comfort and Convenience

Floor Carpet Trim	Carpet	Carpet	Carpet	Carpet	Carpet
Front Headrest	Adjustable 2	Adjustable 2	Adjustable 2	Adjustable 2	Adjustable 2
Instrument Panel Trim	Black, Wooden pattern	Black, Wooden pattern	Black	Black	Black
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night	Day & Night
Key Reminder Warning			Standard Buzzer	Standard Buzzer	Standard Buzzer
2nd Row Seats	60:40 Manual	60:40 Manual	60:40 Manual	60:40 Manual	60:40 Manual
Seat Trim	Fabric	Fabric	Fabric	Fabric	Fabric
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer	Analog Tachometer
Steering Wheel	3 Spoke Leather	3 Spoke Leather	3 Spoke Urethane	3 Spoke Urethane	3 Spoke Urethane
Seat Back Pockets	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger	Standard Driver and Passenger
Ventilated Cupholders	Standard 2	Standard 2	Standard 2	Standard 2	Standard 2
Cruise Control	•	•	•	•	
Airconditioner	Auto	Auto	Manual	Manual	Manual
Audio System	Toyota Display Audio	Toyota Display Audio	Toyota Display Audio	Toyota Display Audio	
Reverse Camera	Display Audio	Display Audio	Display Audio	Display Audio	
Footrest	•	•	•	•	•
Bluetooth	•	•	•	•	
Front Seat Adjustment	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual
Front Seat Reclining	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual	Driver & Passenger Manual
Front Armrest	•	•	•	•	
Front Seat Vertical Adjuster	Driver Manual	Driver Manual	Driver Manual	Driver Manual	Driver Manual
Light Remind Warning	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer	Standard Buzzer
Heater	Auto	Auto	Manual	Manual	Manual
Multi-Information Display	Standard-Colour-Dot	Standard-Colour-Dot	Standard-Segment	Standard-Segment	Standard-Segment
Power Socket	Front - 12V / Rear - 12V x2	Front - 12V / Rear - 12V x2	Front - 12V / Rear - 12V	Front - 12V / Rear - 12V	Front - 12V
Power Steering	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)	Electric / (EPS)
Electric Windows	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only	All One Touch Driver only
Rear Airconditioner	Standard Air Vents	Standard Air Vents	Standard Air Vents	Standard Air Vents	
Rear Armrest	Standard	Standard	Standard	Standard	Standard
Speakers	Standard 6	Standard 6	Standard 4	Standard 4	



SPECIFICATIONS

	Toyota Rumion 1.5 TX AT	Toyota Rumion 1.5 TX MT	Toyota Rumion 1.5 SX AT	Toyota Rumion 1.5 SX MT	Toyota Rumion 1.5 S MT
--	-------------------------	-------------------------	-------------------------	-------------------------	------------------------

Interior, Comfort and Convenience

Steering Column Adjustments	Manual Tilt	Manual Tilt	Manual Tilt	Manual Tilt	Manual Tilt
Steering Switches	Standard Audio, Telephone	Standard Audio, Telephone	Standard Audio, Telephone	Standard Audio, Telephone	
Sun Visor	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver, Passenger Mirror without Cover	Standard Ticket Holder Driver
USB	Standard 1	Standard 1	Standard 1	Standard 1	
Toyota Connect Enabled	•	•	•	•	•
Android Auto & Apple CarPlay	•	•	•	•	

Safety and Security

Height Adjustable Seat Belt	Standard Manual	Standard Manual	Standard Manual	Standard Manual	Standard Manual
Anti-Theft System	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm	Immobiliser Alarm
Centre Rear Seatbelt	Standard Lap	Standard Lap	Standard Lap	Standard Lap	Standard Lap
Child Lock	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door	Standard Rear door
Child Restraint System (ISOFIX)	•	•	•	•	•
Parking Brake	Lever	Lever	Lever	Lever	Lever
Front Brake	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc
Front Seat Belts	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter	ELR, Pretensioner, Force Limiter
Rear Brake	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing	Drum Leading and Trailing
Rear Seat Belts	Standard ELR	Standard ELR	Standard ELR	Standard ELR	Standard ELR
Seat Belt Warning	Front + Driver + Passenger Buzzer + Light	Front + Driver + Passenger Buzzer + Light	Front + Driver + Passenger Buzzer + Light	Front + Driver + Passenger Buzzer + Light	Front + Driver + Passenger Buzzer + Light
Wireless Door Lock	Standard Remote	Standard Remote	Standard Remote	Standard Remote	
Rear Window Demister	•	•	•	•	
Airbags	Driver, Passenger	Driver, Passenger	Driver, Passenger	Driver, Passenger	Driver, Passenger

Driver Support Systems


Park Distance Control	Standard Rear	Standard Rear	Standard Rear	Standard Rear	Standard Rear
Anti-Lock Braking System (ABS)	•	•	•	•	•
Brake Assist (BA)	•	•	•	•	•
Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Vehicle Stability Control (VSC)	•	•	•	•	•
Hill Assist Control (HAC)	•		•		

Service and Warranty

Service Plan	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km	4 Services / 60,000km
Service Interval	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km	12 months / 15,000km
Warranty	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km	3 years / 100,000km

Dimensions and Capacities

Front Tread (mm)	1510	1510	1510	1510	1510
Fuel Tank Size (L)	45	45	45	45	45



SPECIFICATIONS

Toyota Rumion 1.5 TX AT

Toyota Rumion 1.5 TX
MT

Toyota Rumion 1.5 SX AT


Toyota Rumion 1.5 SX
MT

Toyota Rumion 1.5 S MT

Dimensions and Capacities

Ground Clearance (mm)	180	180	180	180	180
Gross Vehicle Mass (GVM)	1730	1720	1730	1720	1720
Height (mm)	1690	1690	1690	1690	1690
Kerb Weight (kg)	1130 - 1165	1130 - 1165	1130 - 1165	1130 - 1165	1130 - 1165
Length (mm)	4420	4420	4420	4420	4420
Luggage Capacity (L)	550	550	550	550	550
Rear Tread (mm)	1520	1520	1520	1520	1520
Towing Capacity - Unbraked (kg)	550	550	550	550	550
Towing Capacity - Braked (kg)	1000	1000	1000	1000	1000
Turning circle (tyres, m)	5.2	5.2	5.2	5.2	5.2
Wheelbase (mm)	2740	2740	2740	2740	2740
Width (mm)	1735	1735	1735	1735	1735
Top Speed (km/h)	170	175	170	175	175

LINE DRAWING



EXTERIOR COLOURS

FOR ILLUSTRATIVE PURPOSES ONLY.

MONOTONE

ZHJ - Mystic Pearl White



ZYA - Azure Blue



Z7Q - Seal Grey Metallic



ZYY - Autumn Blaze Red

WBE - Premium Liquid
Silver

ZQK - Cedar Brown



WB3 - Sonic Black Pearl

**Disclaimer:**

The information contained within or made available on any Toyota platform or note including but not limited to, this website/brochure/specification sheet, is provided for information purposes only. While we make reasonable efforts to update the information on our platform/s, Toyota Motor Corporation of Japan, and Toyota South Africa Motors (Pty) Ltd makes no representations, warranties, or guarantees, whether express or implied, that the content is accurate, complete or up to date, and all information contained herein is subject to change without notice.

Vehicle specifications may vary depending on the model, trim level, and market. Colours depicted on print and web material may not match the actual vehicle colour. Fuel consumption figures are estimates based on standardised testing conditions and actual results may vary due to (but not limited to) driving style, vehicle loading, tyres, wind, traffic, and accessories. All dimensions, capacities, and performance figures are approximate. Some features/options may be optional or only available on certain models/trim levels. Images and illustrations are for illustrative purposes only and may not reflect the actual vehicle.

Your use of, or reliance on, any information or contents herein is entirely at your own risk. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd (including its owners, agents, consultants, employees, and any affiliated person(s)) are not responsible for any loss or damages related to your use of, reliance on, or understanding of any information or contents on this or any other Toyota platform. This includes, without limitation, any direct, indirect, special, incidental, consequential, or punitive damages in terms of any contract, delict (breach of a duty of care) or law.

Furthermore, Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Ltd do not guarantee the uninterrupted or error-free operation of any platform or the availability of content, and are not liable for any interruptions, errors, or damages caused by any technical issues or limitations of these platforms, including but not limited to, server downtime, software malfunctions, or internet connectivity issues.

